


# USB3-IDCM-BO-V1A

## 1. Description:

USB3-IDCM-BO-V1A is a simple motherboard USB3.0 IDC male header breakout board. It brings all 19 pins of a USB3.0 IDC male connector to screw terminal blocks and headers for easy testing, prototyping and breadboard connection. For breadboard connection, user can use the two 10pin headers on both sides of the breakout board for a steady connection.



## 2. Features:

- All 19 pins of a motherboard USB3.0 IDC Male header brought out to headers and screw terminal blocks
- Various connecting method chosen by users.
- 1.0"(25.4mm)X1.54"(39.2mm) board dimensions
- 2 mounting holes with 2mm diameter hole size




Figure 1: Parts inside the kit  
(Note: the module is not assembled, user can decide which connector to use on the module.)

## 3. Parts:

- 1) 1pc X USB3-IDCM-BO-V1A PCB
- 2) 1pc X motherboard USB3.0 Male Header
- 3) 2pc X 10pin 0.1"(2.54mm) spacing terminal block
- 4) 1pc X 20pin 0.1"(2.54mm) header




Figure 2: Example of connecting the USB3-IDCM-BO-V1A on a breadboard




Figure 3: USB3-IDCM-BO-V1A Various connections






Figure 4: Solid Mounting on prototype PCB

## Related products from eLabGuy:



**USB3-IDCM-BO-V1AV**



**USB3-DAF-BO-V1AV**